Regulatory Peptides, 26 (1989) 332–333
Elsevier

Author index

Absood, A., see Bjartell, A., 27
Amenta, F., Cavalotti, C., Collier, W. L., Ferrante, F., Geppetti, P. and Ricci, A., Autoradiographic localization of vasoactive intestinal polypeptide receptors in the rat mesenteric vascular tree, 9

Bernard, C., see Cuber, J.-C., 203
Bjartell, A., Persson, P., Absood, A., Sundler, F. and Håkanson, R., Helodermin-like peptides in noradrenaline cells of adrenal medulla, 27
Bloom, S. R., see Fried, M., 305
Burhol, P. G., see Hvidsten, D., 267

Cauvin, A., Robberecht, P., 117
Cavallotti, C., see Amenta, F., 9
Chayvialle, J.-A., see Cuber, J.-C., 203
Christophe, J., see Robberecht, P., 117
Collier, W. L., see Amenta, F., 9
Cordova, J. L., see Too, H.-P., 93
Cox, H. M. and Cuthbert, A. W., Secretory actions of vasoactive intestinal polypeptide, peptide histidine isoleucine and helodermin in rat small intestine: the effects of putative VIP antagonists upon VIP-induced ion secretion, 127
Coy, D. H., see Robberecht, P., 117
Cuber, J.-C., Bernard, C., Gibard, T. and Chayvialle, J.-A., Pharmacokinetics and organ catabolism of cholecystokinin octapeptide in pigs, 203
Cuthbert, A. W., see Cox, H. M., 127

De Angela, P., see Moyse, E., 225
De Jong, A. J. L., Hafkenscheid, J. C. M. and Jansen, J. B. M. J., Effect of immunoneutralisation of cholecystokinin on bombesin-stimulated pancreatic enzyme secretion in the rat, Lamers, C. B. H. W.
De Neef, P., see Robberecht, P., 117
Dockray, G. J., see Watkinson, A., 313

Eklund, S., Karlström, L., Rökaeus, Å., Theodorsson-Norheim, E., Jodal, M. and Lundgren, O., Effects of cholera toxin, *Escherichia coli* heat stable toxin and sodium deoxycholate on neurotensin release from the ileum in vivo, 241
Ekman, R., see Sheikh, S. P., 253
Epelbaum, J., see Moyse, E., 225

Fahrenkrug, J., Ottesen, B. and Palle, C., Non-amidated forms of VIP (glycine-extended and VIP-free acid) have full bioactivity on smooth muscle, 253
Ferrante, F., see Amenta, F., 9
Fischer-Colbrie, R., see Laslop, A., 191
Fried, M., Mayer, E. A., Bloom, S. R., Taylor, I. L. and Meyer, J. H., GIP and insulin release in relation to gastric emptying of a mixed meal in man, 305

Gehrig, C. A., see Weinberger, S. B., 323
Geppetti, P., see Amenta, F., 9
Gibard, T., see Cuber, J.-C., 203
Gourlet, P., see Robberecht, P., 117
Guo, Y.-S., Thompson, J. C. and Singh, P., Role of protein kinase C and phosphorylation in bombesin-evoked gastrin release from isolated perfused rat stomach, 19

Hafkenscheid, J. C. M., see De Jong, A. J. L.
Holst, J. J., see Sheikh, S. P., 253
Holzer, P., see Lippe, I. T., 35
Humpel, C., see Saria, A., 215
Humpel, Ch., see Laslop, A., 191
Hvidsten, D., Lindsetmo, R. O., Røkke, O., Jenssen, T. G., Burhol, P. G. and Revhaug, A., Clearance of vasoactive intestinal polypeptide (VIP) in the porcine pulmonary circulation, 267
Håkanson, R., see Bjartell, A., 27

Jansen, J. B. M. J., see De Jong, A. J. L.
Jenssen, T. G., see Hvidsten, D., 267
Jodal, M., see Eklund, S., 241

Kanemura, T., Tamaoki, J., Sakai, N., Kobayashi, K. and Takizawa, T., The effect of *N*-formyl-methionyl-leucyl-phenylalanine on cholinergic neurotransmission and its modulation by enkephalinase in rabbit airway smooth muscle, 107
Karlström, L., see Eklund, S., 241
Kobayashi, K., see Kanemura, T., 107
Kordon, C., see Moyse, E., 225
Kryger-Baggesen, N., see Nexo, E., 1

Laslop, A., Wolhfarter, R., Fischer-Colbrie, R., Steiner, H. J., Humpel, Ch., Saria, A., Schmid, K. W., Sperk, G. and Winkler, H., Insulin hypoglycemia increases the levels of neuropeptide Y and calcitonin gene-related peptide, but not of chromogranins A and B, in rat chromaffin granules, 191
Lindsetmo, R. O., see Hvidsten, D., 267
Lippe, I. T., Lorbach, M. and Holzer, P., Close arterial infusion of calcitonin gene-related peptide into rat stomach inhibits aspirin- and ethanol-induced hemorrhagic damage, 35
Lorbach, M., see Lippe, I. T., 35
Lundgren, O., see Eklund, S., 241

Maggio, J. E., see Too, H.-P., 93
Mailliard, M. E. and Wolfe, M. M., Effect of antibodies to the neuropeptide GRP on distension-induced gastric acid secretion in the rat, 287
Marksteiner, J., see Saria, A., 215
Martinez, Jr., J. L., see Weinberger, S. B., 323
Mayer, E. A., see Fried, M., 305
Meyer, J. H., see Fried, M., 305
Moyse, E., Slama, A., Videau, C., De Angela, P., Kordon, C. and Epelbaum, J., Regional distribution of somatostatin receptor affinity states in rat brain: effects of divalent cations and GTP, 225

Nexø, E. and Kryger-Baggesen, N., The receptor for epidermal growth factor is present in human fetal kidney, liver and lung, 1

Orskov, C., see Sheikh, S. P., 253
Ottesen, B., see Fahrenkrug, J., 253

Palle, C., see Fahrenkrug, J., 253
Persson, P., see Bjartell, A., 27
Premen, A. J., Renal hemodynamic response to galanin: importance of elevated plasma glucose, 277

Revhaug, A., see Hvidsten, D., 267
Ricci, A., see Amenta, F., 9
Robberecht, P., De Neef, P., Gourlet, P., Cauvin, A., Coy, D. H. and Christophe, J., Pharmacological characterization of the novel helodermin/VIP receptor present in human SUP-T1 lymphoma cell membranes, 117
Røkke, O., see Hvidsten, D., 267
Rökaeus, Å., see Eklund, S., 241

Sakai, N., see Kanemura, T., 107
Saria, A., Marksteiner, J., Humpel, C. and Sperk, G., Pronounced increases in brain levels of calcitonin gene-related peptide after kainic acid induced seizures, 215
Saria, A., see Laslop, A., 191
Schmid, K. W., see Laslop, A., 191
Schwartz, T. W., see Sheikh, S. P., 253
Sheikh, S. P., Holst, J. J., Orskov, C., Ekman, R. and Schwartz, T. W., Release of PYY from pig intestinal mucosa; luminal and neural regulation, 253
Singh, P., see Guo, Y.-S., 19
Slama, A., see Moyse, E., 225
Sperk, G., see Laslop, A., 191
Sperk, G., see Saria, A., 215
Steiner, H. J., see Laslop, A., 191
Sundler, F., see Bjartell, A., 27

Takizawa, T., see Kanemura, T., 107
Tamaoki, J., Kanemura, T., 107
Taylor, I. L., see Fried, M., 305
Theodorsson-Norheim, E., see Eklund, S., 241
Thompson, J. C., see Guo, Y.-S., 19
Too, H.-P., Cordova, J. L. and Maggio, J. E., A novel radioimmunoassay for neuromedin K. I. Absence of neuromedin K-like immunoreactivity in guinea pig ileum and urinary bladder. II. Heterogeneity of tachykinins in guinea pig tissues, 93

Videau, C., see Moyse, E., 225

Watkinson, A. and Dockray, G. J., Identification and characterization of N-glycosylated and phosphorylated variants of proenkephalin A-derived peptides in bovine adrenal medulla, spinal cord and ileum, 313
Weinberger, S. B., Gehrig, C. A. and Martinez, Jr., J. L., DPen2-[DPen5]enkephalin, a delta opioid, receptor-selective analog of [Leu]-enkephalin, impairs avoidance learning in an automated shelf-jump task in rats, 323
Winkler, H., see Laslop, A., 191
Wohlfarter, R., see Laslop, A., 191
Wolfe, M. M., see Mailliard, M. E., 287

Regulatory Peptides, 26 (1989) 334–336
Elsevier

Key word index

Acid secretion, Gastric distension, Gastrin releasing peptide, 287

Adrenal medulla, Helodermin-like peptide, Immunocytochemistry, Radioimmunoassay, High performance liquid chromatography, 27

Adrenal medulla, Neuropeptide, Regulation of neuropeptide, Biosynthesis, 191

Adrenal, Opioid peptides, Proenkephalin A, Phosphorylation, Glycosylation, Spinal cord, Ileum, 313

Airway smooth muscle, Chemotactic peptide, *N*-Formyl-methionyl-leucyl-phenylalanine, Cholinergic neurotransmission, Enkephalinase, 107

Amidation, Motility, Peptide precursor, Smooth muscle, Vasoactive intestinal peptide, 235

Arteriovenous difference, First pass uptake, Indocyanine green, Plasma concentration, Pig, Lung, 267

Automated avoidance conditioning, [Leu]enkephalin, DPen2-[DPen5]enkephalin, Rats, 323

Autoradiography, Vasoactive intestinal polypeptide; Mesenteric artery, Rat, Receptor, 9

Biochemical characterization, Gastrointestinal hormones, Parasympathetic stimulation, Ileum, 253

Biosynthesis, Adrenal medulla, Neuropeptide, Regulation of neuropeptide, 191

Bombesin, Cholecystokinin, Pancreas, Enzyme, Immunoneutralisation, Radioimmunoassay, 297

Bombesin, Protein kinase C, Isolated rat stomach, Phosphorylation, 19

Brain edema, Calcitonin gene-related peptide, Kainic acid, Brain, Epilepsy, Mannitol, 215

Brain, Calcitonin gene-related peptide, Kainic acid, Epilepsy, Brain edema, Mannitol, 215

Calcitonin, gene-related peptide, Kainic acid, Brain, Epilepsy, Brain edema, Mannitol, 215

Chemotactic peptide, *N*-Formyl-methionyl-leucyl-phenylalanine, Cholinergic neurotransmission, Airway smooth muscle, Enkephalinase, 107

Cholecystokinin octapeptide, Pig, Pharmacokinetics, Organ catabolism, 203

Cholecystokinin, Bombesin, Pancreas, Enzyme, Immunoneutralisation, Radioimmunoassay, 297

Cholera toxin, Escherichia coli heat stable toxin, Sodium deoxycholate, Enteric nervous system, Neurotensin, Neurotensin-like immunoreactivity, 241

Cholinergic neurotransmission; Chemotactic peptide, *N*-Formyl-methionyl-leucyl-phenylalanine, Airway smooth muscle, Enkephalinase, 107

Enkephalinase, Chemotactic peptide, *N*-Formyl-methionyl-leucyl-phenylalanine, Cholinergic neurotransmission, Airway smooth muscle, 107

Enteric nervous system, Cholera toxin, Escherichia coli heat stable toxin, Sodium deoxycholate, Neurotensin, Neurotensin-like immunoreactivity, 241

Enzyme, Bombesin, Cholecystokinin, Pancreas, Immunoneutralisation, Radioimmunoassay, 297

Epidermal growth factor, Fetal, Human, Kidney, Liver, Lung, Placenta, Receptor, 1

Epilepsy, Calcitonin gene-related peptide, Kainic acid, Brain, Brain edema, Mannitol, 215

Escherichia coli heat stable toxin, Cholera toxin, Sodium deoxycholate, Enteric nervous system, Neurotensin, Neurotensin-like immunoreactivity, 241

Fetal, Epidermal growth factor, Human, Kidney, Liver, Lung, Placenta, Receptor, 1

First pass uptake, Indocyanine green, Arteriovenous difference, Plasma concentration, Pig, Lung, 267

N-Formyl-methionyl-leucyl-phenylalanine, Chemotactic peptide, Cholinergic neurotransmis-

sion, Airway smooth muscle, Enkephalinase, 107

Galanin, Renal blood flow, Glomerular filtration rate, Kidney, Vasoactive agents, 277
Gastric distension, Acid secretion, Gastrin releasing peptide, 287
Gastric emptying, Insulin release, 305
Gastric mucosal protection, Rat gastric mucosa, Hemorrhagic lesion formation, Gastric mucosal blood flow, Primary afferent neuron, 35
Gastric mucosal blood flow, Rat gastric mucosa, Hemorrhagic lesion formation, Gastric mucosal protection, Primary afferent neuron, 35
Gastrin releasing peptide, Gastric distension, Acid secretion, 287
Gastrointestinal epithelia, Ion secretion, Growth hormone release factor, 127
Gastrointestinal hormones, Parasympathetic stimulation, Biochemical characterization, Ileum, 253
Glomerular filtration rate, Galanin, Renal blood flow, Kidney, Vasoactive agents, 277
Glycosylation, Opioid peptides, Proenkephalin A, Phosphorylation, Adrenal, Spinal cord, Ileum, 313
Growth hormone release factor, Gastrointestinal epithelia, Ion secretion, 127
GTP, Magnesium ion, Somatostatin binding sites, Regional distribution, Rat brain, 225

Helodermin, Vasoactive intestinal peptide, Human SUP-T1 lymphoma, 117
Helodermin-like peptide, Adrenal medulla, Immunocytochemistry, Radioimmunoassay, High performance liquid chromatography, 27
Hemorrhagic lesion formation, Rat gastric mucosa, Gastric mucosal protection, Gastric mucosal blood flow, Primary afferent neuron, 35
High performance liquid chromatography, Helodermin-like peptide, Adrenal medulla, Immunocytochemistry, Radioimmunoassay, 27
Human, Epideraml growth factor, Fetal, Kidney, Liver, Lung, Placenta, Receptor, 1
Human SUP-T1 lymphoma, Vasoactive intestinal peptide, Helodermin, 117

Ileum, Gastrointestinal hormones, Parasympathetic stimulation, Biochemical characterization, 253
Ileum, Opioid peptides, Proenkephalin A, Phosphorylation, Glycosylation, Adrenal, Spinal cord, 313
Immunocytochemistry, Helodermin-like peptide, Adrenal medulla, Radioimmunoassay, High performance liquid chromatography, 27
Immunoneutralisation, Bombesin, Cholecystokinin, Pancreas, Enzyme, Radioimmunoassay, 297
Indocyanine green, First pass uptake, Arteriovenous difference, Plasma concentration, Pig, Lung, 267
Insulin release, Gastric emptying, 305
Ion secretion, Gastrointestinal epithelia, Growth hormone release factor, 127
Isolated rat stomach, Bombesin, Protein kinase C, Phosphorylation, 19

Kainic acid, Calcitonin gene-related peptide, Brain, Epilepsy, Brain edema, Mannitol, 215
Kidney, Epidermal growth factor, Fetal, Human, Liver, Lung, Placenta, Receptor, 1
Kidney, Galanin, Renal blood flow, Glomerular filtration rate, Vasoactive agents, 277

[Leu]enkephalin, DPen2-[DPen5]enkephalin, Automated avoidance conditioning, Rats, 323
Liver, Epidermal growth factor, Fetal, Human, Kidney, Lung, Placenta, Receptor, 1
Lung, Epidermal growth factor, Fetal, Human, Kidney, Liver, Placenta, Receptor, 1
Lung, First pass uptake, Indocyanine green, Arteriovenous difference, Plasma concentration, Pig, 267

Magnesium ion, Somatostatin binding sites, Regional distribution, Rat brain, GTP, 225
Mannitol, Calcitonin gene-related peptide, Kainic acid, Brain, Epilepsy, Brain edema, 215
Mesenteric artery, Vasoactive intestinal polypeptide, Rat, Autoradiography, Receptor, 9
Motility, Amidation, Peptide precursor, Smooth muscle, Vasoactive intestinal peptide, 235

Neurokinin, Tachykinin, Substance P, Substance K, Neuromedin K, Radioimmunoassay, 93
Neuromedin K, Tachykinin, Neurokinin, Substance P, Substance K, Radioimmunoassay, 93
Neuropeptide, Adrenal medulla, Regulation of neuropeptide, Biosynthesis, 191
Neurotensin, Cholera toxin, Escherichia coli heat stable toxin, Sodium deoxycholate, Enteric

nervous system, Neurotensin-like immunoreactivity, 241
Neurotensin-like immunoreactivity, Cholera toxin, Escherichia coli heat stable toxin, Sodium deoxycholate, Enteric nervous system, Neurotensin, 241

Opioid peptides, Proenkephalin A, Phosphorylation, Glycosylation, Adrenal, Spinal cord, Ileum, 313
Organ catabolism, Pig, Cholecystokinin octapeptide, Pharmacokinetics, 203

Pancreas, Bombesin, Cholecystokinin, Enzyme, Immunoneutralisation, Radioimmunoassay, 297
Parasympathetic stimulation, Gastrointestinal hormones, Biochemical characterization, Ileum, 253
DPen2-[DPen5]enkephalin, [Leu]enkephalin, Automated avoidance conditioning, Rats, 323
Peptide precursor, Amidation, Motility, Smooth muscle, Vasoactive intestinal peptide, 235
Pharmacokinetics, Pig, Cholecystokinin octapeptide, Organ catabolism, 203
Phosphorylation, Bombesin, Protein kinase C, Isolated rat stomach, 19
Phosphorylation, Opioid peptides, Proenkephalin A, Glycosylation, Adrenal, Spinal cord, Ileum, 313
Pig, Cholecystokinin octapeptide, Pharmacokinetics, Organ catabolism, 203
Pig, First pass uptake, Indocyanine green, Arteriovenous difference, Plasma concentration, Lung, 267
Placenta, Epidermal growth factor, Fetal, Human, Kidney, Liver, Lung, Receptor, 1
Plasma concentration, First pass uptake, Indocyanine green, Arteriovenous difference, Pig, Lung, 267
Primary afferent neuron, Rat gastric mucosa, Hemorrhagic lesion formation, Gastric mucosal protection, Gastric mucosal blood flow, 35
Proenkephalin A, Opioid peptides, Phosphorylation, Adrenal, Spinal cord, Ileum, 313
Protein kinase C, Bombesin, Isolated rat stomach, Phosphorylation, 19

Radioimmunoassay, Bombesin, Cholecystokinin, Pancreas, Enzyme, Immunoneutralisation, 297
Radioimmunoassay, Helodermin-like peptide, Adrenal medulla, Immunocytochemistry, High performance liquid chromatography, 27
Radioimmunoassay, Tachykinin, Neurokinin, Substance P, Substance K, Neuromedin K, 93
Rat brain, Magnesium ion, Somatostatin binding sites, Regional distribution, GTP, 225
Rat gastric mucosa, Hemorrhagic lesion formation, Gastric mucosal protection, Gastric mucosal blood flow, Primary afferent neuron, 35
Rat, Vasoactive intestinal polypeptide, Mesenteric artery, Autoradiography, Receptor, 9
Rats, [Leu]enkephalin, DPen2-[DPen5]enkephalin, Automated avoidance conditioning, 323
Receptor, Epidermal growth factor, Fetal, Human, Kidney, Liver, Lung, Placenta, 1
Receptor, Vasoactive intestinal polypeptide, Mesenteric artery, Rat, Autoradiography, 9
Regional distribution, Magnesium ion, Somatostatin binding sites, Rat brain, GTP, 225
Regulation of neuropeptide, Adrenal medulla, Neuropeptide, Biosynthesis, 191
Renal blood flow, Galanin, Glomerular filtration rate, Kidney, Vasoactive agents, 277

Smooth muscle, Amidation, Motility, Peptide precursor, Vasoactive intestinal peptide, 235
Sodium deoxycholate, Cholera toxin, Escherichia coli heat stable toxin, Enteric nervous system, Neurotensin, Neurotensin-like immunoreactivity, 241
Somatostatin binding sites, Magnesium ion, Regional distribution, Rat brain, GTP, 225
Spinal cord, Opioid peptides, Proenkephalin A, Phosphorylation, Glycosylation, Adrenal, Ileum, 313
Substance P, Tachykinin, Neurokinin, Substance K, Neuromedin K, Radioimmunoassay, 93
Substance K, Tachykinin, Neurokinin, Substance P, Neuromedin K, Radioimmunoassay, 93

Tachykinin, Neurokinin, Substance P, Substance K, Neuromedin K, Radioimmunoassay, 93

Vasoactive intestinal polypeptide, Mesenteric artery, Rat, Autoradiography, Receptor, 9
Vasoactive intestinal peptide, Helodermin, Human SUP-T1 lymphoma, 117
Vasoactive intestinal peptide, Amidation, Motility, Peptide precursor, Smooth muscle, 235
Vasoactive agents, Galanin, Renal blood flow, Glomerular filtration rate, Kidney, 277